

D-HUBA - Recurring Maintenance (All) Remaining Time List - ACTT: 2602:36

No.	Description	Pn	Sn	Ac/Partgrp.	Curr.	Int.	LSV	Item	TT	LSV	Start Date	Rem.	Due
100	INSPECTIONS / INSPECTION TASKS			2602:36FH/3900Cycl.									
101	Perform 25 hrs inspection i.a.w. Enstrom MM, Section 3 and Lycoming OM, Section 4.2.			2602:36FH/3900Cycl.		25FH	2587:54			0:00		10:18FH	2612:54FH
101A	Perform 50hrs inspection i.a.w. F-28A/F-28C MM page MM-3-7 & -8 and Lycoming OM, Section 4.3.			2602:36FH/3900Cycl.		50FH	2572:04			0:00		19:28FH	2622:04FH
101B	Perform 100hrs inspection i.a.w. F-28A/F-28C MM page MM-3-7 & -8 and Lycoming OM, Section 4.4.			2602:36FH/3900Cycl.		100FH/12MO	2572:04			0:00	03.02.2017	69:28FH/0MO	2672:04FH/03.02.2018
102A	Lubricate 25hrs lubrication points i.a.w. F-28A/F-28C MM page MM-3-6.			2602:36FH/3900Cycl.		25FH	2587:54			0:00		10:18FH	2612:54FH
102B	Lubricate 50hrs lubrication points i.a.w. F-28A/F-28C MM page MM-3-6.			2602:36FH/3900Cycl.		50FH	2572:04			0:00		19:28FH	2622:04FH
102C	Lubricate 100hrs lubrication points i.a.w. F-28A/F-28C MM page MM-3-6.			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
103	Inspect exhaust system i.a.w. F-28A/F-28C MM page MM-5-26 and MM-20-37.			2602:36FH/3900Cycl.		100FH/12MO	2574:18			0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
104	Perform 300/330hrs exhaust valve and guide inspection i.a.w. EASA AD 2005-0023R3, Lycoming SB388C, SB301B and OM.			2602:36FH/3900Cycl.		300FH	2450:00			0:00		147:24FH	2750FH
105	Renew induction system filter i.a.w. F-28A/F-28C MM page MM-5-37 and MM-20-45.			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
106	Perform inspection of fuel servo screen i.a.w. F-28A/F-28C MM page MM-5-22 and MM-20-33.			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
107	Perform visual check of the engine driven fuel pump drain i.a.w. F-28A/F-28C MM page MM-20-43.			2602:36FH/3900Cycl.		25FH	2587:54			0:00		10:18FH	2612:54FH
108	Check alternator/generator belt tension i.a.w. Lycoming SI1129D.			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
109	Check cylinder compression i.a.w. Lycoming SI1191A.			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
109A	Perform 100hrs magneto, ignition, sparkplug and harnesses inspection i.a.w. TCM SB643C and SB183A.			2602:36FH/3900Cycl.		100FH/12MO	2574:18			0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
110	Check maintenance items i.a.w. Lycoming SI1080C.			2602:36FH/3900Cycl.		50FH	2574:18			0:00		21:42FH	2624:18FH
112	Perform fuel line and support clamp inspection i.a.w. FAA AD 2015-19-07, LTA 2003-079R2 and Lyc SB342G.			2602:36FH/3900Cycl.		100FH/12MO	2574:18			0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
113B	Change oil and oil filter, and check screen i.a.w. Lycoming SB480F.			2602:36FH/3900Cycl.		50FH/4MO	2587:54			0:00	02.08.2017	35:18FH/-2MO	2637:54FH/02.12.2017
201	LTA 1977-196, Enstrom SIL 0056 TR input shaft nut torque			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
202	LTA 1982-206R2 Enstrom SIL0080 Clutch Control & Belt Tension			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
209	LTA 2006-365, EASA AD 2006-0292 TR pitch link & pitch arm plate			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
212	Lycoming SB-183A - Magneto to engine timing			2602:36FH/3900Cycl.		100FH	2574:18			0:00		71:42FH	2674:18FH
213A	Lycoming SI-1029D, SAIB 14-13, Thru and mounting studs			2602:36FH/3900Cycl.		100FH/12MO	2574:18			0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
213B	Lycoming SB-342, FAA AD 2015-19-07, LTA 2003-079R2, - Fuel Line/Clamp Inspection			2602:36FH/3900Cycl.		100FH/12MO	2574:18			0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

D-HUBA - Recurring Maintenance (All) Remaining Time List - ACTT: 2602:36

No.	Description	Pn	Sn	Ac/Partgrp.	Curr.	Int.	LSV	Item TT	LSV	Start Date	Rem.	Due
213C	Magneto overhaul i.a.w. TCM SB 643C, SB-658 and SB-663A			2602:36FH/3900Cycl.		500FH	2516:11		0:00		413:35FH	3016:11FH
213D	Perform RH airframe/LH engine magneto OH i.a.w. TCM SB643C.			2602:36FH/3900Cycl.		48MO			01.11.2013		-3MO	01.11.2017
213E	Perform RH airframe/LH engine magneto OH i.a.w. TCM SB643C.			2602:36FH/3900Cycl.		48MO			01.11.2013		-3MO	01.11.2017
214B	Enstrom SDB-0007 - Torque, M/R transmission pinion shaft nut			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
214C	Enstrom SDB-0014 - Main rotor hub nut			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
214D	Enstrom SDB-0016C Low oil level in tail rotor gearbox			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
214F	Enstrom SDB-0022 - Backfire damage to inlet air system			2602:36FH/3900Cycl.		50FH	2574:18		0:00		21:42FH	2624:18FH
215	Enstrom SDB-0023 Belt tightening system			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
216	Enstrom SDB-0027 , FAA AD96-06-03, LTA 89-059/2 - Over-running clutch assembly			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
216A	Enstrom SDB-0035A,FAA AD 96-06-02, LTA 76-184/2 - Upper swashplate bearing			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
216A	Enstrom SDB-0037A, FAA AD 77-20-02, for this aircraft only Part 3 inspection recurrent			2602:36FH/3900Cycl.		100FH	2572:04		0:00		69:28FH	2672:04FH
216F	Enstrom SDB-0067, EASA AD 2006-0172, LTA 1985-049 Narrow chord tail rotor forged grips			2602:36FH/3900Cycl.		50FH	2574:18		0:00		21:42FH	2624:18FH
217	Enstrom SDB-0074 - Control cable corrosion in engine compartment			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
217A	Enstrom SDB-0076, FAA AD 88-11-06, LTA 1988-150, A Cracked stabilizer spar - P/N 28-11222			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
217C	Enstrom SDB-0078 - Tail rotor gearbox inspection			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
218	Enstrom SDB-0079 Landing gear leg cracks - P/N 28-17132-1			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
219	Enstrom SDB-0080, FAA AD 90-17-02 - Tail rotor drive flex couplings mandatory upgrade to (7) plate coupling			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
219A	Enstrom SDB-0081, FAA AD 94-17-15, LTA 1995-148, Lamiflex bearing inspection, incl. SDB-0057			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
220	Enstrom SDB-0088 Cracks in lower swashplate universal housing, P/N 28-16119-1			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
220A	Enstrom SDB0090R1 and FAA AD 97-20-04, LTA 1998-156 -12 vdc voltage control system modification			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
221	Enstrom SDB-0091 - Lower swashplate inspection			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
222	Enstrom SDB-0092 - Fuel quantity system calibration			2602:36FH/3900Cycl.		100FH/12MO	2574:18		0:00		71:42FH	2674:18FH
223	Enstrom SDB-0094 FAA AD 2002-08-03, LTA 1976-005R5 Main rotor shaft inspection			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
224	Enstrom SDB-0095 - Idler pulley actuator arm inspection			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
225	Enstrom SDB-0100 - Inspect swashplate rod end (dog leg) assembly, P/N 28-16143-1, for excessiv			2602:36FH/3900Cycl.		100FH	2574:18		0:00		71:42FH	2674:18FH
226A	Enstrom SDB0105 - Collective bellcrank inspection			2602:36FH/3900Cycl.		300FH	2574:18		0:00		271:42FH	2874:18FH

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

D-HUBA - Recurring Maintenance (All) Remaining Time List - ACTT: 2602:36

No.	Description	Pn	Sn	Ac/Partgrp.	Curr.	Int.	LSV	Item TT	LSV	Start Date	Rem.	Due
229	Enstrom SDB-0112 - Cooling fan assembly torque inspection			2602:36FH/3900Cycl.		1500FH	2574:18		0:00		1471:42FH	4074:18FH
230	Enstrom SDB-0117R1 - Main rotor drive belt			2602:36FH/3900Cycl.		100FH/12MO	2574:18		0:00	27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
231	FAA AD 2018-02-01, LTA D-2015-040R3, Enstrom SDB 0119R3 - Main rotor spindle, P/N 28-14282-11 & P/N 28-14282-13, MPI inspection every 500 hrs up to life limit 1500 hrs			2602:36FH/3900Cycl.		500FH	2574:18		0:00		471:42FH	3074:18FH
232	Enstrom SDB0124, Landing Gear Assembly - Clamp Inspection			2602:36FH/3900Cycl.		100FH/12MO	2587:54		0:00	02.08.2017	85:18FH/5MO	2687:54FH/02.08.2018
233	Enstrom- SDB0126 - Cabin Bellcrank Mounts and Bellcrank attachment inspection customer wish - not to be performed			2602:36FH/3900Cycl.		100FH/12MO	2572:04		0:00	03.02.2017	69:28FH/0MO	2672:04FH/03.02.2018
300	OVERHAUL AND LIFE TIMED COMPONENTS			2602:36FH/3900Cycl.								
301	Bearing, Belt Idler Pulley - Life limit i.a.w. FAA TCDS: H1CE & MM-3-11 & MM-18-8 EASA AD2015-0235	ECD018-11		2602:36FH/3900Cycl.		600FH	2323:12		0:00		320:36FH	2923:12FH
302	Bearing, Upper Jack Strut - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235 ON CONDITION if used with grease fitting i.a.w. EASA AD2015-0235	ECD014-13		2602:36FH/3900Cycl.		600FH	2323:12		0:00		320:36FH	2923:12FH
303	Clutch - UNCLEAR - see e-mail to ENstrom 07.01.2016 -RECOMMENDED OH interval i.a.w. Enstrom MM ? SDB 69	28-13401-4	262	2602:36FH/3900Cycl.		1200FH	2376:15		0:00		973:39FH	3576:15FH
308	Bearing, Lower Swashplate - Life limit i.a.w. FAA TCDS: H1CE & MM-3-11 & MM-18-8 EASA AD2015-0235 ON CONDITION if used with grease fitting i.a.w. EASA AD2015-0235	ECD009-11		2602:36FH/3900Cycl.		1200FH	1684:00		0:00		281:24FH	2884FH
309	Bearing Upper Swashplate - Life limit i.a.w. FAA TCDS: H1CE & MM-3-11 & MM-18-8 EASA AD2015-0235 ON CONDITION if used with grease fitting i.a.w. EASA AD2015-0235	ECD013-6013RS		2602:36FH/3900Cycl.		1200FH	2323:12		0:00		920:36FH	3523:12FH
314	Tail Rotor Blade, 3.3 in. Cord - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	28-15120	1057 / 1060	2602:36FH/3900Cycl.		4500FH	2121:00	987:10			3031:14FH	5633:50FH
317	Tail Rotor Spindle (3.3 in. cord T/R Assy) - Life limit i.a.w. FAA TCDS: H1CE & MM-18-8 & EASA AD2015-0235	28-15202-13R	13E-029-775	2602:36FH/3900Cycl.		7500FH	2121:00	249:18			6769:06FH	9371:42FH
323	Coupling, Flex Pack Assembly - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	28-01041-3 AFT	F-1463	2602:36FH/3900Cycl.		1200FH	2572:04		0:00		1169:28FH	3772:04FH
323A	Coupling, Flex Pack Assembly - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	28-01041-3 FWD	F-1466	2602:36FH/3900Cycl.		1200FH	2572:04		0:00		1169:28FH	3772:04FH
324	Tail Rotor Gear set - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	28-13500	007-170-77H	2602:36FH/3900Cycl.		1200FH	2486:00	645:48			437:36FH	3040:12FH
329	Main Rotor Spindle - Life limit i.a.w. FAA TCDS: H1CE & MM-18-8 & FAA AD 2018-02-01	28-14282-11	015417-01	2602:36FH/3900Cycl.		1500FH	2550:13	2549:29			-1101:52FH	1500:44FH
329A	Main Rotor Spindle - Life limit i.a.w. FAA TCDS: H1CE & MM-18-8 & FAA AD 2018-02-01	28-14282-11	015417-02	2602:36FH/3900Cycl.		1500FH	2550:13	2549:29			-1101:52FH	1500:44FH
329B	Main Rotor Spindle - Life limit i.a.w. FAA TCDS: H1CE & MM-18-8 & FAA AD 2018-02-01	28-14282-13	09-002-81G	2602:36FH/3900Cycl.		1500FH	2550:13	1049:04			398:33FH	3001:09FH

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

D-HUBA - Recurring Maintenance (All) Remaining Time List - ACTT: 2602:36

No.	Description	Pn	Sn	Ac/Partgrp.	Curr.	Int.	LSV	Item	TT	LSV	Start Date	Rem.	Due
330	Thrust Bearing (Lamiflex) - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	28-14320-15	8936, 8937,8938	2602:36FH/3900Cycl.		60MO					27.02.2017	48MO	27.02.2022
330A	M/R gearbox	28-13170-3R	53-003-73	2602:36FH/3900Cycl.		1200FH	2121:00			0:00		718:24FH	3321FH
331	Tachometer Drive Belt (O-Ring) - Life limit i.a.w. FAA TCDS: H1CE & EASA AD2015-0235	NAS1611-333		2602:36FH/3900Cycl.		60MO					27.02.2017	48MO	27.02.2022
332	Main drive belt - Life limit i.a.w. F-28A&F28C MM page MM-3-11 & MM-18-8.	28-13321-1	103	2602:36FH/3900Cycl.		1200FH	2376:15			280:12		693:27FH	3296:03FH
335	Belt strut bearing - Life limit i.a.w. F-28A&F28C MM page MM-3-11 & MM-18-8.	99608X38		2602:36FH/3900Cycl.		600FH	0:00			0:00			
336A	Damper assembly - on condition, not incl. in life limited component list	28-14375-105	625 / 703 / 1086	2602:36FH/3900Cycl.									
337A	Damper rod end on condition if included in damper assy 28-14375-105			2602:36FH/3900Cycl.									
344	UNCLEAR - see e-mail to ENstrom 07.01.2016. Main Rotor Transmission RECOMMENDED OH interval	28-13101 (ALL) 28-13170 (ALL)		2602:36FH/3900Cycl.		2400FH	0:00			0:00			
345	UNCLEAR - see e-mail to ENstrom 07.01.2016 Tail Rotor Transmission RECOMMENDED OH interval ?	28-13520 (ALL) 28-13525 (ALL)		2602:36FH/3900Cycl.		2400FH	0:00			0:00			
346	ELT Kannad 406 AF kompakt portabel	S1821502-02	P0895-0086	2602:36FH/3900Cycl.									
347	ELT battery EXP. 09/2017	S1820506-01		2602:36FH/3900Cycl.		72MO					01.12.2011	-2MO	01.12.2017
400	ENGINE COMPONENTS			2602:36FH/3900Cycl.									
401A	Overhaul engine i.a.w. Lycoming SI1009AY.	HIO-360-C1A	L11880-5A	2602:36FH/3900Cycl.		1500FH/144M O	1773:00		440:00		26.06.1989	230:24FH/-199M O	2833FH/26.06.2001
402	Renew or overhaul alternator	AMX8421R	140081	2602:36FH/3900Cycl.		1500FH	1852:00			0:00		749:24FH	3352FH
403	Renew or overhaul starter	2011	9010906	2602:36FH/3900Cycl.		2000FH	1684:00			0:00		1081:24FH	3684FH
404	Renew or overhaul fuel injection components.	2524189-11	70202101	2602:36FH/3900Cycl.		1500FH/144M O	2434:18			0:00	15.08.2005	1331:42FH/-6MO	3934:18FH/15.08.2017
406	Fuel Pump	LW15473		2602:36FH/3900Cycl.		1500FH/144M O	2376:00			0:00	21.01.2000	1273:24FH/-72M O	3876FH/21.01.2012
407	Boost pump -	8120-G	65197	2602:36FH/3900Cycl.		1500FH/144M O	2242:35			0:00	24.02.1992	1139:59FH/-167 MO	3742:35FH/24.02.2004
408	magnetos	10-163045-3	28313	2602:36FH/3900Cycl.		1500FH/144M O	2516:11			0:00	01.11.2013	1413:35FH/92M O	4016:11FH/01.11.2025
409	magnetos	10-163005-11	84450194	2602:36FH/3900Cycl.		1500FH/144M O	2516:11			0:00	01.11.2013	1413:35FH/92M O	4016:11FH/01.11.2025
500	SUPPLEMENT TYPE CERTIFICATE			2602:36FH/3900Cycl.									
501	Check if there STCs have been installed that have repetitive inspections (for example: Instructions for Continued Airworthiness (ICA)).			2602:36FH/3900Cycl.									
502	GTR225A VHF COM Maintenance Instruction i.a.w. ICA2016_006_R-44-0507			2602:36FH/3900Cycl.		12MO					01.01.1999	-217MO	01.01.2000
900	GERMANY - NATIONAL REQUIREMENTS			2602:36FH/3900Cycl.									
901	Airworthiness Review Certificate Renewal (private use) i.a.w. VO 1321/2014 Part M, M.A.710			2602:36FH/3900Cycl.		12MO					14.02.2017	0MO	14.02.2018

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

D-HUBA - Recurring Maintenance (All) Remaining Time List - ACTT: 2602:36

No.	Description	Pn	Sn	Ac/Partgrp.	Curr.	Int.	LSV	Item	TT	LSV	Start Date	Rem.	Due
902	Avionic Check (private use) i.a.w. NCO.IDE.H.190			2602:36FH/3900Cycl.		24MO					19.12.2016	10MO	19.12.2018
903	Transponder Inspection (private use) i.a.w. NCO.IDE.(H).200			2602:36FH/3900Cycl.		12MO					27.02.2017	0MO	27.02.2018
905	Altimeter Inspection (private use) i.a.w. NfL II-25/09 & 15/10			2602:36FH/3900Cycl.		24MO					19.12.2016	10MO	19.12.2018
906	Pitot Static Inspection (private use) i.a.w. NfL II-25/09 & 15/10			2602:36FH/3900Cycl.		24MO					19.12.2016	10MO	19.12.2018
907	Magnetic Compass Compensation & Deviation Table (private use) i.a.w. AMC 1 NCO.IDE.H.120(a)(1)			2602:36FH/3900Cycl.		12MO					27.02.2017	0MO	27.02.2018
908	Fire Extinguisher Inspection (private use) i.a.w. NCO.IDE.H.160 & NfL II-92/99			2602:36FH/3900Cycl.		12MO					27.02.2017	0MO	27.02.2018
909	First Aid Kit Inspection (private use) i.a.w. AMC 1 & 2 NCO.IDE.H.145			2602:36FH/3900Cycl.		12MO					27.02.2017	0MO	27.02.2018
910	Weight & Balance (private use) i.a.w. NfL II-71/09 & NCO.POL.105 & GM 1 NCO.POL.105			2602:36FH/3900Cycl.		48MO					14.10.2014	7MO	14.10.2018
911	TBO extension inspection i.a.w. AMP chapter 8.1 - refer also to SI-1009BB,			2602:36FH/3900Cycl.		100FH/12MO	2574:18		0:00		27.02.2017	71:42FH/0MO	2674:18FH/27.02.2018
912	POH update check			2602:36FH/3900Cycl.		12MO					14.02.2017	0MO	14.02.2018