

G-BYKK - Recurring Maintenance (All) Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Overhaul engine i.a.w. Lycoming SI1009BC		401		O-540-F1B5	L-25360-40 A		2200FH/144 MO		1074:30FH/-8 MO	- 3106:18FH/1 2.04.2019	51%	100%	X	
Airworthiness Review Certificate renewal							12MO		9MO	10MO (Cal.) 23.09.2020		21%	X	
INITIAL INSPECTIONS		000												X
Perform initial 10hrs inspection after NEW or OH engine installation i.a.w. Lycoming OM.		001				10FH								X
Perform initial 25hrs inspection i.a.w. Lycoming OM after NEW or OH engine installation i.a.w. Lycoming OM.		002				25FH								X
INSPECTIONS / INSPECTION TASKS		100												X
Perform 50hrs inspection i.a.w. RHC MM 1.101 & Lycoming OM.		101					50FH/12MO		50FH/12MO	7MO (FH) 2081:48FH/0 9.12.2020	0%	0%	X	
Perform 100hrs/annual inspection i.a.w. RHC R44 MM §2.400 and Lycoming OM.		102					100FH/12MO		100FH/12MO	12MO (Cal.) 2131:48FH/0 9.12.2020	0%	0%	X	
Perform 300/330hrs exhaust valve and guide inspection i.a.w. EASA AD 2005-0023R3, LTA 2005-419R3, LYC SB388C & SB301B	EASA AD 2005-0023R3; LTA 2005-419R3; LYC SB388C & SB301B	103				100FH	300FH		300FH	3YR (FH) 2331:48FH	0%		X	
Check alternator/generator belt tension i.a.w. Lycoming SI1129D.		104				25FH	100FH							
Check cylinder compression i.a.w. Lycoming SI1191A.		105					100FH/12MO		100FH/12MO	12MO (Cal.) 2131:48FH/0 9.12.2020	0%	0%	X	
Check maintenance items i.a.w. Lycoming SI1080C.		106					50FH/12MO		50FH/12MO	7MO (FH) 2081:48FH/0 9.12.2020	0%	0%	X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Perform carburetor throttle body screw inspection i.a.w. Lycoming SB366C.		107					50FH		50FH	7MO (FH) 2081:48FH	0%		X	
Change oil and oil filter, and check screen i.a.w. Lycoming SB480F.		109A				25FH	25FH/4MO							X
Change oil and oil filter, and check screen i.a.w. Lycoming SB480F.		109B				25FH	50FH/4MO		50FH/4MO	4MO (Cal.) 2081:48FH/09.04.2020	0%	0%	X	
Perform 100hrs magneto, ignition, sparkplug and harnesses inspection i.a.w. TCM SB643C & SB636, SB669.		110					100FH/12MO		100FH/12MO	12MO (Cal.) 2131:48FH/09.12.2020	0%	0%	X	
Perform LH airframe/RH engine magneto 500hrs inspection i.a.w. TCM SB643C, including SB658 and SB663A.		111L					500FH		246:42FH	3YR (FH) 2278:30FH	51%		X	
Perform RH airframe/LH engine magneto 500hrs inspection i.a.w. TCM SB643C, including SB658 and SB663A.		111R					500FH		248:42FH	3YR (FH) 2280:30FH	50%		X	
Perform LH airframe/RH engine magneto OH i.a.w. TCM SB643C.		111S					48MO		33MO	3YR (Cal.) 19.09.2022		31%	X	
Perform RH airframe/LH engine magneto OH i.a.w. TCM SB643C.		111T					48MO		33MO	3YR (Cal.) 19.09.2022		31%	X	
Perform LH airframe/RH engine magneto overhaul i.a.w. TCM SB643C, including SB658 and SB663A.		112L					2200FH		168:12FH	22MO (FH) 2200FH	92%		X	X

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Perform RH airframe/LH engine magneto overhaul i.a.w. TCM SB643C, including SB658 and SB663A.		112R					2200FH		168:12FH	22MO (FH) 2200FH	92%		X	X
Lubricate C181-3 bearing per RHC R44 MM §1.140.		113					300FH/36MO		300FH/36MO	3YR (Cal.) 2331:48FH/0 9.12.2022	0%	0%	X	
Replace hydraulic filter per RHC R44 MM §1.170.		114					300FH		288:18FH	3YR (FH) 2320:06FH	4%		X	
Drain and flush MRGB per RHC R44 MM §1.120.		115				4FH	500FH		323:18FH	4YR (FH) 2355:06FH	35%		X	
Drain and flush TRGB per RHC R44 MM §1.130.		116				4FH	500FH		323:18FH	4YR (FH) 2355:06FH	35%		X	
Clean both gearbox chip detectors per RHC R44 MM §1.115.		117					500FH/12MO		488:18FH/10 MO	10MO (Cal.) 2520:06FH/0 2.10.2020	2%	19%	X	
Perform clutch assembly lubricant inspection & servicing per RHC R44 MM §7.210, refer also to RHC SB-79.		118					500FH		298:36FH	3YR (FH) 2330:24FH	40%		X	
Service collective spring per RHC R44 MM §8.221.		119					500FH							X
Verify magneto drive cushion pliability.		120					500FH/48MO		248:42FH/33 MO	3YR (FH) 2280:30FH/1 9.09.2022	50%	31%	X	
Inspect ELT per 14 CFR §91.207.		121											X	X
Test and inspection transponder per 14 CFR §91.413.		122											X	X
Inspect C439-7 guide assembly i.a.w. RHC R44 SL-10.	RHC R44 SL-10	124					100FH/12MO		100FH/12MO	12MO (Cal.) 2131:48FH/0 9.12.2020	0%	0%	X	
Perform tap test on outboard doubler tips of MR blades with Pn: C016-2 & -5 i.a.w. RHC R44 SL31.	RHC R44 SL-31	125					100FH/12MO							X

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk	
Inspect C343-1 push-pull tube assembly i.a.w. RHC R44 SL43.	RHC R44 SL-43	126					100FH/12MO							X	X
FAA AD 84-26-02, LTA 1985-065R2 - Pure Air (Airfilter) - SB-87		128					500FH							X	X
FAA AD2010-24-03 - RHC (pedal support), SB-63 (R44)		129					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X		
SB-183A Lycoming (magneto to engine timing)		130					100FH		100FH	13MO (FH) 2131:48FH	0%		X		
SB-57 RHC (Tailpipe extension kit) i.a.w. SL-27		131					100FH							X	
SL-31 RHC (MR blade doublers)		132					100FH							X	X
SL-33 - Sprag Clutch Inspection /Check		132A					100FH/12MO							X	X
SL-43 RHC (C343-1 push-pull tube)		133					100FH		100FH	13MO (FH) 2131:48FH	0%		X		
SL-46 RHC replacement cleanable airfilter B771-2, refer also to SB-87		134					600FH/60MO		588:18FH/58 MO	5YR (Cal.) 2620:06FH/0 2.10.2024	2%	4%	X		
SL-46 - Inspection cleanable airfilter B771-2		134A					100FH		100FH	13MO (FH) 2131:48FH	0%		X		
SL-48 - Idle Valve Thrust washer wear inspection - Precision Airmotive SB PRS-109.		135					500FH							X	
SL50 & SL-38 - check for cracked nuts and if needed install D210 corrosion-resistant nuts.	RHC R44 SL-50	135A					100FH/12MO		100FH/12MO	12MO (Cal.) 2131:48FH/0 9.12.2020	0%	0%	X		
SL-64A RHC fire extinguisher handling & maintenance inspection, weight check		136					100FH/12MO								X
SL-66 - clean both gearbox chip detectors		137					500FH/12MO		488:18FH/10 MO	10MO (Cal.) 2520:06FH/0 2.10.2020	2%	19%	X		

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
SL-70 - Main Rotor Blade Tip Maintenance.		138					100FH		100FH	13MO (FH) 2131:48FH	0%		X	
Engine thru studs and/or cylinder mounting studs i.a.w. SAIB 14-13, Lycoming SI 1029D.		139					50FH							X
Perform pop-out float inflation LEAK check per RHC R44 §5.630.		151					12MO							X
Perform pop-out float inflation INFLATION check per RHC R44 §5.640.		152					36MO							X
Perform pop-out float pressure cylinder hydrostatic test, refer to RHC R44 MM table 1.		153					36MO							X
Renew pop-out float pressure cylinder - life limit i.a.w. RHC R44 MM table 1.		154					180MO							X
HELICOPTER OVERHAULS		200												X
Perform 2200hrs helicopter overhaul per RHC R44 §2.700.		201					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Perform 12 year maintenance and inspection per RHC R44 MM §2.600.		202					144MO		144MO	12YR (Cal.) 09.12.2031		0%	X	
OVERHAUL AND LIFE TIMED COMPONENTS		300												X
MR hub assembly - Pn: C005-x. Inspect per R44 MM §2.630 at 12y.		301A		C154-1	1872		144MO		142MO	12YR (Cal.) 18.10.2031		1%	X	
MR hub - Pn: C154-1 Airworthiness limitation i.a.w. RHC R44 MM §3.300.		301B			1872		2200FH		600:18FH	7YR (FH) 2632:06FH	73%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
MR blade and spindle assemblies - Pn: C005-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM §2.630 at 12y.		302A					2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
MR blade - Pn: C016-2, -5, -7. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		302B1		C016-7	3690		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
MR blade - Pn: C016-2, -5, -7. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		302B2		C016-7	3698		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
MR spindle - PN: 158-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		302C1		C158-1	16831		2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
MR spindle - PN: 158-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		302C2		C158-1	16834		2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
MRGB and mast assembly - Pn: C006-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM §2.630 at 12y.		303A		C006-5	0855		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
MRGB, gear set - Pn: C146-1, -5. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		303B					2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
MRGB, housing - Pn: C264-1, -2. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		303C					2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
MRGB, sump - PN: C263-1, -2. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		303D					2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
MRGB, MR shaft - Pn: C251-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		303E					4400FH		3860:24FH	42YR (FH) 5892:12FH	12%		X	
Fanshaft and bearing assembly - Pn: C007-5. Renew or overhaul exchange at 2200hr, inspect per R44 MM §2.630 at 12y.		304					2200FH/144 MO		1956:12FH/8 8MO	7YR (Cal.) 3988FH/01.0 4.2027	11%	39%	X	
Bearing assembly C181-3, incl. in C007-5		304a		C181-3	1822		2200FH/144 MO		1956:12FH/8 8MO	7YR (Cal.) 3988FH/01.0 4.2027	11%	39%	X	
Tail rotor assembly - PN: C008-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM §2.630 at 12y.		305A					2200FH/144 MO		1428FH/80M O	7YR (Cal.) 3459:48FH/1 5.08.2026	35%	44%	X	
TR blade - PN: C029-1, -2, -3. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		305B1		C029-3	3491		2200FH/144 MO		1428FH/80M O	7YR (Cal.) 3459:48FH/1 5.08.2026	35%	44%	X	
TR blade - PN: C029-1, -2, -3. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		305B2		C029-3	3495		2200FH/144 MO		1428FH/80M O	7YR (Cal.) 3459:48FH/1 5.08.2026	35%	44%	X	
TR hub - Pn: C030-1, D062-2, G062-2. Airworthiness limitation i.a.w. RHC R44 MM §3.300. 12 y - NDT and bearing replacement.		305C		G062-2	2377		2200FH/144 MO		1428FH/80M O	7YR (Cal.) 3459:48FH/1 5.08.2026	35%	44%	X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Swashplate assembly - Pn: C017-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		306A		C017-6	1871		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
Swashplate Pn: C017-4 or -6 with bearing set Pn: C647-12 and C198-1/-2 for C017-4 or F198-1 for C017-6 without S/N and without Airworthiness Limitation. Airworthiness limitation i.a.w. RHC R44 MM \$3.300.		306B		C017-6	1871		2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
Bearing set C647-12		306C		C647-12	H120719		2200FH/144 MO							X
Lower swashplate - Pn: C198-1, -2. Airworthiness limitation i.a.w. RHC R44 MM \$3.300.		306D					4400FH		3862:24FH	42YR (FH) 5894:12FH	12%		X	
Clutch assembly - Pn: C018-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		307					2200FH/144 MO		1956:42FH/1 18MO	10YR (Cal.) 3988:30FH/2 3.10.2029	11%	18%	X	
Sprag clutch C188-3, incl. in assy C018-x		307A		C188-3	7725		2200FH/144 MO		1504FH/41M O	3YR (Cal.) 3535:48FH/1 9.05.2023	32%	71%	X	
clutch shaft C166-4, incl. in assy C018-x		307B		C166-4	0421		2200FH/144 MO		1956:42FH/1 18MO	10YR (Cal.) 3988:30FH/2 3.10.2029	11%	18%	X	
TRGB assembly - Pn: C021-1. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		308A		C021-1	1037		2200FH/144 MO		1428FH/80M O	7YR (Cal.) 3459:48FH/1 5.08.2026	35%	44%	X	
TRGB, gear set - Pn: C545-1. Airworthiness limitation i.a.w. RHC R44 MM \$3.300.		308B		C545-1	8829		2200FH		1428FH	16YR (FH) 3459:48FH	35%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Tail cone (rev M & prior) - Pn: C023-x. Renew or overhaul exchange at 2200hr.		309A					2200FH							X
Tail cone (rev M & prior) - Pn: C023-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		309B					2000FH							X
Tail cone (rev N & subsequent) - Pn: C023-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		309C		C023-1 W	0659		4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	
Tail cone - Pn: C023-2, -3, -4, -14, -15. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		309D					4400FH							X
Tail rotor pitch control - Pn: C031-1. Renew or overhaul exchange at 2200hr and at 12y.		310		C031-1	9963		2200FH/144 MO		1921:18FH/1 07MO	9YR (Cal.) 3953:06FH/2 9.11.2028	13%	25%	X	
Belt tension actuator assembly - Pn: C051-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM §2.630 at 12y.		311		C051-1	6025		2200FH/144 MO		1504FH/41M O	3YR (Cal.) 3535:48FH/1 9.05.2023	32%	71%	X	
Spring assembly - Pn: C056-1. Renew or overhaul exchange at 2200hr.		312					2200FH							X
4-point harness & buckle assemblies - Pn: C627-x. Renew or overhaul exchange at 2200hr.		313					2200FH							X
Harness & buckle assemblies - Pn: C628-x. Renew or overhaul exchange at 2200hr.		314					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Dual tachometer - Pn: C792-x. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		315A		C792-4	1121		2200FH/144 MO		1959:18FH/1 00MO	8YR (Cal.) 3991:06FH/2 8.04.2028	11%	30%	X	
Tachometer - Pn: C792-x. Overhaul per R44 MM \$2.630 at 12y.		315B					144MO						X	X
Fanwheel assembly - Pn: D174-2. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		316					2200FH/144 MO		1956:12FH/9 5MO	8YR (Cal.) 3988FH/25.1 1.2027	11%	34%	X	
Hydraulic reservoir - Pn: D211-1. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		317		D211-1	5547		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
Hydraulic servo actuators - Pn: D212-1. Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		318		D212-1	18980 / 18981 / 18982		2200FH/144 MO		1662:24FH/7 2MO	6YR (Cal.) 3694:12FH/1 1.12.2025	24%	50%	X	
Hydraulic Pump Assy D500-1		318A		D500-1	5768		2200FH		1662:24FH	18YR (FH) 3694:12FH	24%		X	
Governor controller assembly - Pn: D278-x (D268-x) Renew or overhaul exchange at 2200hr, inspect per R44 MM \$2.630 at 12y.		319		D278-1	0785		2200FH/144 MO		1504FH/41M O	3YR (Cal.) 3535:48FH/1 9.05.2023	32%	71%	X	
Tail rotor bellcrank - Pn: A120-3. Renew at 2200hr, renew or overhaul exchange at 12y.		320					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
V-belts - Pn: A190-3. Renew at 2200hr, renew or overhaul exchange at 12y.		321					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All) Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Oil lines - Pn: A723-x (various dash numbers). Renew at 2200hr.		322					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Battery cables - Pn: A780-x. Renew at 2200hr.		323					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Hoses, air ducts - Pn: A785-x (various dash numbers). Renew at 2200hr, renew or overhaul exchange at 12y.		324					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Flex plate assembly - Pn: A947-2. Renew at 2200hr.		325					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Alternator belt - Pn: B173-x. Renew at 2200hr, renew or overhaul exchange at 12y.		326					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Hose assemblies - Pn: B283-x (various dash numbers). Renew at 2200hr, renew or overhaul exchange at 12y.		327					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Bearing assembly - Pn: C041-11. Renew or overhaul exchange at 12y.		328					144MO						X	X
Arm assembly - Pn: C011-2. Renew or overhaul exchange at 12y. Incl. in C041-11.		329					144MO						X	X
Tail rotor push-pull tube assembly - Pn: C121-17. Renew at 2200hr.		330					2200FH		1599:42FH	18YR (FH) 3631:30FH	27%		X	
Muffler with risers - Pn: C169-x. Renew at 2200hr.		331					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Main rotor pitch link assemblies - Pn: C258-1. Renew at 2200hr.		332					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Swashplate boot - Pn: C480-1. Renew at 2200hr, renew or overhaul exchange at 12y.		333					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Mount - Pn: C653-1. Renew or overhaul exchange at 12y.		334					144MO		41MO	3YR (Cal.) 19.05.2023		71%	X	
Mount - Pn: C653-2. Renew or overhaul exchange at 12y.		335					144MO		41MO	3YR (Cal.) 19.05.2023		71%	X	
Elastic trim cord - Pn: C918-7. Renew at 2200hr.		336					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Flex plate assembly - C947-1. Renew at 2200hr.		337					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Flex plate assembly - C947-3. Renew at 2200hr.		338					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Tail rotor guard - Pn: D079-1. Renew at 2200hr. Airworthiness limitation i.a.w. RHC R44 MM §3.300. S/N		339		D079-1	2081		2200FH		1599:42FH	18YR (FH) 3631:30FH	27%		X	
Tail rotor drive shaft assy - Pn: D224-1 Renew at 2200hr.		340A					2200FH		1599:42FH	18YR (FH) 3631:30FH	27%		X	
Tail rotor drive shaft - Pn: C196-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		340B		C196-1	0035		2200FH		1599:42FH	18YR (FH) 3631:30FH	27%		X	
Tail rotor drive shaft - Pn: D196-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300. S/N		340C					4400FH							X
Bellcrank assembly - Pn: D756-x - included in D224-2 TR drive shaft assy. Renew or overhaul exchange at 12y.		341					144MO						X	X

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Engine cooling panels - Various PNs, consult IPC. Renew at 2200hr.		342					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Upper frame - Pn: C020-1, -2. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		343					2200FH		2200FH	24YR (FH) 4231:48FH	0%		X	
Cyclic grip - Pn: A756-6. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		344A					4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	X
Cyclic torque tube - Pn: C319-3. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		344B					4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	X
Cyclic stick - Pn: C320-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		344C					4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	X
Horizontal stabilizer - Pn: C044-1 Rev. M and subsequent. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		345		C044-1 O	0634		4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	
Horizontal stabilizer - Pn: C044-1 Rev. L or prior. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		345A					2200FH							X
Jackshaft - Pn: C337-1. Airworthiness limitation i.a.w. RHC R44 MM §3.300.		346					4400FH		2368:12FH	26YR (FH) 4400FH	46%		X	X
ENGINE COMPONENTS		400												X
Engine TBO calendar Time Extension i.a.w. SI1009BC		401A					100FH/12MO							
Renew or overhaul alternator.		402		ALX8521 R	F122902		2200FH		1074:30FH	12YR (FH) 3106:18FH	51%		X	

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Renew or overhaul starter		403					2200FH		168:12FH	22MO (FH) 2200FH	92%		X	X
Renew or overhaul carburetor.		404		10-6035-11	75079418		2200FH		2048:36FH	22YR (FH) 4080:24FH	7%		X	
Oil cooler large		405					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Magneto L/H		405A		10-600616-3	H119807E		2200FH/144 MO		2121:30FH/3 3MO	3YR (Cal.) 4153:18FH/1 9.09.2022	4%	77%	X	
Magneto R/H		405B		10-600646-201	H229813E		2200FH/144 MO		2121:30FH/3 3MO	3YR (Cal.) 4153:18FH/1 9.09.2022	4%	77%	X	
Oil cooler (small)		406					2200FH/144 MO		2200FH/144 MO	12YR (Cal.) 4231:48FH/0 9.12.2031	0%	0%	X	
Fuel control		407					2200FH/144 MO							X
ELT battery replacement		408					82MO							X
SUPPLEMENT TYPE CERTIFICATE		500												X
Check if there STCs have been installed that have repetitive inspections (for example: Instructions for Continued Airworthiness (ICA)).		501											X	X
UK - REQUIREMENTS I.A.W. CAA/LAMP/H/2007 Issue 1		900												X
Airworthiness Review i.a.w. VO1321/2014 Part M, M.A. 710		901					12MO						X	X
Radio Annual Inspection i.a.w. CAA/LAMP/H/2007 Issue 1, Section 6		902					12MO						X	X
Transponder Inspection i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		903					12MO						X	X
ELT inspection i.a.w. Kannnd OM		904					12MO						X	X
Radio Additional Inspections i.a.w. CAA/LAMP/H/2007 Issue 1, Section 6		905					36MO						X	X

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Inspection & Calibration Altimeter i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		906					12MO						X	X
Inspection Pitot Static, Sense and Leak i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		907					12MO							X
Airspeed Indicator Calibration i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		908					12MO						X	X
Mainfold Pressure Gauge calibration i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		909					12MO						X	X
Magnetic Compass Compensation & Deviation Table i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		910					36MO						X	X
Fire Extinguisher Inspection i.a.w. CAA/LAMP/H/2007		911					12MO						X	X
First Aid Kit Inspection i.a.w. CAA/LAMP/H/2007, Issue 1, Section 6		912					12MO						X	X
Weight & Balance non-commercial		914					120MO						X	X
CAP 767 - check due items		915												X
50h/6 months inspection i.a.w. CAA/LAMP/H/2007 Issue 1		916					50FH/6MO		50FH/6MO	6MO (Cal.) 2081:48FH/0 9.06.2020	0%	0%	X	
100 h inspection i.a.w. CAA/LAMP/H/2007 Issue 1		917					100FH		100FH	13MO (FH) 2131:48FH	0%		X	
Annual inspection i.a.w. CAA/LAMP/H/2007 Issue 1		918					12MO						X	X

Legend: LSV=Last Shop Visit / TH=Threshold / FH=Flight Hours / Int.=Interval / Rem.=Remaining / TT=Total Time / MO=Month

G-BYKK - Recurring Maintenance (All)
Remaining Time List - ACTT: 2031:48

Description	AD Descr.	Task No.	Action	Pn	Sn	TH	Int.	Ext.*	Rem.	Estim. Rem. Due	FH %	Cal. %	App N/A	Not Chk
Hydrostatic test of pressue vessels i.a.w. CAA/LAMP/H/2007		919					60MO						X	X
Flexible Hoses Pressure Check i.a.w. CAA/LAMP/H/2007		920					36MO						X	X
ISsue 1 & CAP562: CAA I & P Book 2 Leaflet 20-50														
GB sight glass inspection i.a.w. CAP562, CAAIP B180 App. 12-3		920A					50FH							X
Electrical Power Supply inspection i.a.w. CAP562, CAAIP B-180, App. 24-1		921					50FH/6MO							X
Circuit Breaker Function check i.a.w. CAP562, CAAIP B-180, App. 24-4		922					24MO						X	X
Emergency Landing light inspection i.a.w. EASA STC 2004-1003		923					50FH/12MO		50FH/12MO	7MO (FH) 2081:48FH/0 9.12.2020	0%	0%	X	